

SPECIFICATIONS



MOD. 74 Rev.01
Date: 23/09/2021
Page 1 di 3

5HV-110 GSM TELEHANDSFREE

DESCRIPTION

GSM handsfree telephone with automatic dial-out of a remotely programmed telephone number

IMAGE



MAIN FEATURES

Emergency alarm call: pressing one of the two pushbuttons

Four call-forwarding modes: vocal call / SMS / SMS then vocal call / pre-alarm SMS (waiting for callback) and then vocal call

SMS signalling low battery

Room monitor

Receiving incoming calls automatically or by pressing a pushbutton

Volume adjustment through pushbutton

Phonebook 12 listings

PROGRAMMING

Basic programming: via SMS

Advanced programming: via PC and dedicated Helpy Oops Assistant software

SPECIFICATIONS



MOD. 74 Rev.01
Date: 23/09/2021
Page 2 di 3

5HV-110 GSM TELEHANDSFREE

GSM / GPRS

Antenna: magnetic base antenna with cable (2 m)

Micro SIM card

Module: GSM/GPRS quad-band

Transmission power: 1 W at 1800/1900 MHz, 2 W at 850/900 MHz

GPRS: class 10

POWER SUPPLY FEATURES

External power supply: 12 - 24 Vdc 500 mA (terminal block) or by USB cable

Built-in back up battery: 3,7 V 1150 mAh rechargeable LiPo battery

Expected operation time with a new battery in idle state: 42 hours

AUDIO

Built-in handsfree: full duplex, high quality

Adjustable volume

PUSHBUTTONS

Pushbuttons: to send or end a call / to answer an incoming call / to adjust the conversation volume

LED

LED signalling GSM signal strength: red

LED signalling alarm sent: yellow

LED signalling alarm received: green

SAFETY SYSTEMS

FLASH memory for data protection under power failure

Double watch-dog system

GSM reset

SPECIFICATIONS



MOD. 74 Rev.01
Date: 23/09/2021
Page 3 di 3

5HV-110 GSM TELEHANDSFREE

FIRMWARE UPDATE

Remote: OTA (via GPRS)

Local: via PC and dedicated Helpy Oops Assistant software

ACCESSORIES INCLUDED

USB cable

Adapter for 12 Vdc power supply

OTHERS FEATURES

Dimensions (without antenna): 140x65x20 mm

Weight: 225 g